



ITExamWorld.com

The Top Certification Site OVER 1000 EXAMS FROM ALL VENDORS

- Verified Answers and Explanations
- Printable questions and answers
- Update per 15-20 Days
- Instant Download
- Security Multi Order
- 24*7 Support
- Pass on Your First Try Guarantee

interactive Exams
Self Exam Engine

Questions & Answers
With Explanations

Study Guides

Preparation Labs

Audio Exams

Demo Version

To Access Full Version, Please go to

www.itexamworld.com

Require the latest demo questions, please email to support@itexamworld.com

Every exam under \$1 USD, offer free update service for one year or lifetime

Exam : HP0-J27

Title : Advanced SAN Architecture

Version : Demo

1.Which FCIP device supports HP B-series, but not C-series Fibre Channel switches for SAN extension?

- A.SAN Valley SL1000 IP-SAN Gateway
- B.HP StorageWorks MPX100
- C.HP StorageWorks SR2122-2 IP Storage Router
- D.HP StorageWorks Multiprotocol Router

Answer:D

2.Which critical areas must the SAN architect be able to discuss during SAN design? (Select three.)

- A.data protection
- B.data availability
- C.data replication
- D.SAN scalability
- E.high availability
- F.SAN availability

Answer:A B D

3.During an infrastructure assessment, which SAN management category ensures that data is available and accessible?

- A.SAN fabric management
- B.SAN usage and monitoring
- C.SAN storage management
- D.SAN data management

Answer:D

4.Your customer wants to migrate from a monolithic to a modular SAN design. Which benefits does the new design provide the customer? (Select two.)

- A.minimum complexity
- B.lowest number of SAN switch ports
- C.mainframe connectivity
- D.consistent throughput and performance
- E.very high scalability

Answer:D E

5.Which naming schemes are used by iSCSI nodes? (Select two.)

- A.iSCSI qualified name
- B.enterprise unique identifier
- C.SLP service number
- D.fully qualified domain name
- E.world wide network identifier

Answer:A B